FAS ARCHITECTURE

Figure 1 - FAS Architecture & Integration

All transactions conform to the following Backus-Naur Format (BNF) for passing transaction parameters and values:

trans value = { status request value | parameter request value | }

trans_value = { status_request_value | parameter_request_value }
status_request_value = transaction_# [,transaction_# ...];

parameter_request_value = param_name : param_value [, param_name:param_value
...];

param_value : { "any printable character" | {+|-}number[.digits] | yyyy/mm/dd hh:mm:ss}

Note that the transaction value can be packed into one or more messages as needed. Oracle will return following messages using "pipe_name" specified in the sent message:

	Description			
Message Number				
1	# of total messages sent (including this one)			
2	# of messages and # of transactions processed			
if status was requested, the following message will also be sent in addition:				
3	transaction_#: transaction_status			
4	transaction_status			
•••				
n	transaction_#: transaction_status			

Table 2 - Return Status

BNF for the transaction_status is as follows: transaction_status = (status_code)[error_name [,error_name ...]]; status_code = [INITIAL | VALIDATED | MOVED | FINISHED | ERROR | CUSTOMER | NOT_FOUND]

- INITIAL means that transaction is ready to be validated
- VALIDATED means that transaction has been validated and is ready to be moved into Financial Interface tables
- MOVED means that transaction has been moved into Financial Interface tables
- FINISHED means that transaction has been moved from Financial Interface tables to Financial Internal tables
- ERROR means that transaction had one or more errors during processing
- CUSTOMER means that transaction is currently not a valid customer in LBS system but could be a valid customer in the future date
- NOT_FOUND means that transaction record is not found in LBS system

Transaction status can be packed into one or more messages as needed.

The flat file format required for AIR CARD into-plane is as follows. This file should be vertical bar '|' delimited with the last character on each record being a vertical bar.

bute name	Optional	Туре
tail_number	not null	varchar2(8)
dodaac_id	not null	varchar2(60)
sale_date	not null	date
tid_code	not null	varchar2(2)
unit	not null	varchar2(3)
unit_price	not null	number
quantity	Optional	number(12,3)
invoice_amount	not null	number
subinv_name	not null	varchar2(10)
receipt_id	Optional	number(10)
soe_type	Optional	varchar2(10)
process_status	not null	varchar2(30)
site_id	not null	number(10)
project_code	Optional	varchar2(40)
document_id	Optional	varchar2(50)
signal_code	not null	varchar2(12)
sale_type	Optional	varchar2(20)
vendor_code	not null	varchar2(20)

Table 3 - Transaction Flat File Format

Attribute name	Optional	Туре
vendor_code	not null	varchar2(20)
vendor_name	not null	varchar2(100)
vendor_contact_fname	Optional	varchar2(30)
vendor_contact_lname	not null	varchar2(50)
vendor_address1	not null	varchar2(240)
vendor_address2	not null	varchar2(240)
vendor_address3	Optional	varchar2(240)
vendor_city	not null	varchar2(60)
vendor_state	not null	varchar2(60)
vendor_postal_code	not null	varchar2(60)
vendor_country	Optional	varchar2(60)